

Vorwort

- ▲ 1. Einarbeitung
 - 1.1 Allgemeines
 - 1.2. Der Function-Tester
 - 1.3 Fehlerbehandlung
 - ▲ 1.4. Beispiele zur Nutzung der Helper-Functions
 - 1.4.1. Protokollierung
 - 1.4.2. Ein Beispiel zum Prüfen, ob eine Funktion durch eine Office-Gruppe
- ▲ 2. Textverarbeitung
 - 2.1 Funktionsübersicht
 - ▲ 2.2. Funktionsbeschreibungen
 - ▲ 2.2.1 Helper-Functions
 - 2.2.1.1. WP_LoggingStart
 - 2.2.1.2. WP_LoggingStop
 - 2.2.1.3. WP_IsFunctionSupportedByIndex
 - 2.2.1.4. WP_IsFunctionSupportedByName
 - 2.2.1.5. WP_IsCoreFunctionByIndex
 - 2.2.1.6. WP_IsCoreFunctionByName
 - ▲ 2.2.2. Application-Objekt
 - 2.2.2.1. WP_AppCreate
 - 2.2.2.2. WP_AppClose
 - 2.2.2.3. WP_AppActivePrinter
 - 2.2.2.4. WP_AppPrintFile
 - 2.2.2.5. WP_AppGetUnsavedDocNumber
 - ▲ 2.2.3. Document-Objekt
 - 2.2.3.1. WP_DocNew
 - 2.2.3.2. WP_DocNewSaved
 - 2.2.3.3. WP_DocOpen
 - 2.2.3.4. WP_DocSave
 - 2.2.3.5. WP_Doc_SaveAs
 - 2.2.3.6. WP_DocClose
 - 2.2.3.7. WP_DocIsSaved
 - 2.2.3.8. WP_DocGetItemByNumber
 - 2.2.3.9. WP_DocActivate
 - 2.2.3.10. WP_DocExportToPDF
 - 2.2.3.11. WP_DocPrintPreview
 - 2.2.3.12. WP_DocPrint
 - 2.2.3.13. WP_DocInsertTable

- 2.2.3.14. WP_DocGetActivePane
- 2.2.3.15. WP_DocPrintToFile
- 4 2.2.4. Templates
 - 2.2.4.1. WP_TemplatesGetCollection
 - 2.2.4.2. WP_TemplatesGetItemByNumber
 - 2.2.4.3. WP_TemplateSave
 - 2.2.4.4. WP_TemplateOpenAsDocument
 - 2.2.4.5. WP_TemplateFullName
- 4 2.2.5. Bookmarks
 - 2.2.5.1. WP_BookmarksGetCollection
 - 2.2.5.2. WP_BookmarksCount
 - 2.2.5.3. WP_BookmarksAdd
 - 2.2.5.4. WP_BookmarksDeleteByNumber
 - 2.2.5.5. WP_BookmarksDeleteByName
 - 2.2.5.6. WP_BookmarksGetItemByNumber
 - 2.2.5.7. WP_BookmarksGetItemByName
 - 2.2.5.8. WP_BookmarkExists
 - 2.2.5.9. WP_BookmarksIsEmpty
 - 2.2.5.10. WP_BookmarkSelect
 - 2.2.5.11. WP_BookmarkCopy
 - 2.2.5.12. WP_BookmarkDelete
 - 2.2.5.13. WP_BookmarkName
 - 2.2.5.14. WP_BookmarkRange
 - 2.2.5.15. WP_BookmarkGetStart
 - 2.2.5.16. WP_BookmarkGetEnd
 - 2.2.5.17. WP_BookmarkSetStart
 - 2.2.5.18. WP_BookmarkSetEnd
 - 2.2.5.19. WP_BookmarkSetText
- 4 2.2.6. Font
 - 2.2.6.1. WP_SetFont
 - 2.2.6.2. WP_SetFont_Name
 - 2.2.6.3. WP_SetFont_Size
 - 2.2.6.4. WP_SetFont_BIU
 - 2.2.6.5. WP_SetFont_Color
 - 2.2.6.6. WP_SetFont_ColorIndex
- 4 2.2.7. Insert functions
 - 2.2.7.1. WP_InsertAfterText

-
- 2.2.7.2. WP_InsertDateTime
 - 2.2.7.3. WP_InsertAfterGraphic
 - ▲ 2.2.8. Paragraphs
 - 2.2.8.1. WP_ParagraphsGetCollection
 - 2.2.8.2. WP_ParagraphsAdd
 - 2.2.8.3. WP_ParagraphsItem
 - 2.2.8.4. WP_ParagraphsReset
 - 2.2.8.5. WP_ParagraphsCount
 - 2.2.8.6. WP_ParagraphsFirst
 - 2.2.8.7. WP_ParagraphsLast
 - 2.2.8.8. WP_ParagraphsGetFormat
 - 2.2.8.9. WP_ParagraphsGetStyle
 - 2.2.8.10. WP_ParagraphNext
 - 2.2.8.11. WP_ParagraphPrevious
 - 2.2.8.12. WP_ParagraphReset
 - 2.2.8.13. WP_ParagraphSetAlignment
 - 2.2.8.14. WP_ParagraphSetCollapsedState
 - 2.2.8.15. WP_ParagraphSetFirstLineIndent
 - 2.2.8.16. WP_ParagraphSetLeftIndent
 - 2.2.8.17. WP_ParagraphSetStyle
 - 2.2.8.18. WP_ParagraphGetRange
 - 2.2.8.19. WP_ParagraphSetKeepWithNext
 - 2.2.8.20. WP_ParagraphSetKeepTogether
 - ▲ 2.2.9. Selection / Range
 - 2.2.9.1. WP_SelectionFromDocument
 - 2.2.9.2. WP_SelectionFromActivWindow
 - 2.2.9.3. WP_RangeFromDocument
 - ▲ 2.3. Code-Beispiele
 - 2.3.1. Font setzen
 - 2.3.2 Ein geöffnetes Dokument als Objekt erhalten
 - ▲ 3. Tabellenkalkulation
 - 3.1 Funktionsübersicht
 - ▲ 3.2 Funktionsbeschreibungen
 - ▲ 3.2.1 Helper-Functions
 - 3.2.1.1. SC_LoggingStart
 - 3.2.1.2. SC_LoggingStop
 - 3.2.1.3. SC_IsFunctionSupportedByIndex
 - 3.2.1.4. SC_IsFunctionSupportedByName

- 3.2.1.5. SC_IsCoreFunctionByIndex
- 3.2.1.6. SC_IsCoreFunctionByName
- ▲ 3.2.2. Application-Objekt
 - 3.2.2.1. SC_AppCreate
 - 3.2.2.2. SC_AppClose
- ▲ 3.2.3. Workbook-Objekt
 - 3.2.3.1. SC_WBAdd
 - 3.2.3.2. SC_WBClose
 - 3.2.3.3. SC_WBNewSaved
 - 3.2.3.4. SC_WBOpen
 - 3.2.3.5. SC_WBSave
 - 3.2.3.6. SC_WBSaveAs
 - 3.2.3.7. SC_WBAddSheet
 - 3.2.3.8. SC_WBPrint
 - 3.2.3.9. SC_WBNumberOfCharts
 - 3.2.3.10. SC_WBActiveSheet
- ▲ 3.2.4. Worksheet-Objekt
 - 3.2.4.1. SC_WSSetCellInt
 - 3.2.4.2. SC_WSSetCellIntRange
 - 3.2.4.3. SC_WSSetCellDbf
 - 3.2.4.4. SC_WSSetCellDbfRange
 - 3.2.4.5. SC_WSSetCellStr
 - 3.2.4.6. SC_WSSetCellStrRange
 - 3.2.4.7. SC_WSSetCellDT
 - 3.2.4.8. SC_WSSetCellDTRange
 - 3.2.4.9. SC_WSActivateByIndex
 - 3.2.4.10. SC_WSActivateByName
 - 3.2.4.11. SC_WSGetCellValue
 - 3.2.4.12. SC_WSSetCellFormula
 - 3.2.4.13. SC_WSSetCellFormulaRange
 - 3.2.4.14. SC_WSGetCellFormula
 - 3.2.4.15. SC_WSSetFont
 - 3.2.4.16. SC_WSCalculate
 - 3.2.4.17. SC_WSSetRangeName
 - 3.2.4.18. SC_WSFillDownNumber
 - 3.2.4.19. SC_WSPrint
 - 3.2.4.20. SC_WSAddEmbeddedChart

- 3.2.4.21. SC_WSPageSetup
- 3.2.4.22. SC_WSDelete
- 3.2.4.23. SC_WSRename
- 3.2.4.24. SC_WSMoveTo
- 3.2.4.25. SC_WSMoveTo2
- ▲ 3.3. Code-Beispiele Tabellenkalkulation
 - 3.3.1 Einen Range-Namen setzen
- ▲ 4. Präsentation
 - 4.1 Funktionsübersicht
 - ▲ 4.2 Funktionsbeschreibungen
 - ▲ 4.2.1 Helper-Functions
 - 4.2.1.1. PT_LoggingStart
 - 4.2.1.2. PT_LoggingStop
 - 4.2.1.3. PT_IsFunctionSupportedByIndex
 - 4.2.1.4. PTC_IsFunctionSupportedByName
 - 4.2.1.5. PT_IsCoreFunctionByIndex
 - 4.2.1.6. PT_IsCoreFunctionByName
 - ▲ 4.2.2. Application
 - 4.2.2.1. PT_AppCreate
 - 4.2.2.2. PT_AppClose
 - 4.2.2.3. PT_AppGetUnsavedPTNumber
 - 4.2.2.4. PT_AppGetPTByItemNumber
 - ▲ 4.2.3. Presentation
 - 4.2.3.1. PT_PTNew
 - 4.2.3.2. PT_PTNewSaved
 - 4.2.3.3. PT_PTOpen
 - 4.2.3.4. PT_PTSave
 - 4.2.3.5. PT_PTSaveAs
 - 4.2.3.6. PT_PTClose
 - 4.2.3.7. PT_PTApplyTemplate
 - 4.2.3.8. PT_PTEExportToPDF
 - 4.2.3.9. PT_PTStart
 - 4.2.3.10. PT_PTStop
 - 4.2.3.11. PT_PTGetSlideCount
 - 4.2.3.12. PT_PTCreateVideo
 - 4.2.3.13. PT_PTPrint
 - 4.2.3.14. PT_PTIsSaved
 - 4.2.3.15. PT_PTPath

- 4.2.3.16. PT_PTGetNamedSlideShows
- ▲ 4.2.4. Slides
 - 4.2.4.1. PT_SlideAdd
 - 4.2.4.2. PT_SlideSelect
 - 4.2.4.3. PT_SlideDelete
 - 4.2.4.4. PT_SlideAddTextBox
 - 4.2.4.5. PT_SlideAddTitle
 - 4.2.4.6. PT_SlideAddPicture
 - 4.2.4.7. PT_SlideAddTable
 - 4.2.4.8. PT_SlideAddChart
 - 4.2.4.9. PT_SlideDuplicate
 - 4.2.4.10. PT_SlideMoveTo
 - 4.2.4.11. PT_SlideRename
 - 4.2.4.12. PT_SlideApplyTemplate
 - 4.2.4.13. PT_SlideApplyTheme
 - 4.2.4.14. PT_SlideGetHeadersFooters
 - 4.2.4.15. PT_SlideGetShapes
 - 4.2.4.16. PT_SlideSetLayout
- ▲ 4.3. Code-Beispiele Präsentation
 - 4.3.1. Ein Video aus einer Präsentation erstellen
- ▲ 5. Sonstiges
 - 5.1 Auf Updates prüfen
 - 5.2 E-Mail an Support senden
- 6. Bonus: Quellcode der Haupt-Unit des Function-Testers
- ▲ 7. Bonus: Funktionen und Eigenschaften ausgewählter OpenOffice/LibreOffice
 - ▲ 7.1 Präsentation
 - 7.1.1 Document (Presentation) -Object
 - 7.1.2. Masterpages-Object
 - 7.1.3 Masterpage-Object
 - 7.1.4 DrawPages-Object
 - 7.1.5 DrawPage-Object
 - 7.1.6. DrawController-Object
 - 7.1.7. Shape-Object (Table, Video)
 - 7.1.8. ShapeText-Object (Text, Diagram, Image, URL)
 - 7.1.9. Slideshow-Object
 - ▲ 7.2 Tabellenkalkulation
 - 7.2.1. Spreadsheet-Object

7.2.3 Sheet-Object

7.2.4 TableRows-Object

7.2.5. TableRow-Object

7.2.6. SheetCell-Object

7.2.7. CellRange-Object

▲ 7.3 Textverarbeitung

7.3.1. Document-Object

7.3.2. TextView-Object

7.3.3 TextRanges-Object

7.3.4 TextRange-Object

7.3.5. TextCursor-Object

7.3.6. Paragraphs-Object

7.3.7. Paragraph-Object

7.3.8. Bookmarks-Object

7.3.9. Bookmark-Object

7.3.10. Bodytext-Object

8. Sonstiges

E-Books von mir